


Garden Art - Maske 02

© www.inspiration-for-glass.com





Garden Art “ Mask 02 “





All information without guarantee.

“ Mask-02 “ 41 x 26 cm (16 x 10 “)









scale 1:2,5

piece	glass selection as in original
1,3,5,7,20	Spectrum Glas 171 RR
2,4,5	Spectrum Glas 161 RR
8,10,12,14,16,18	Spectrum Glas 100 Chord
9,11,13,15,17,19	Spectrum Glas 151 RR
21	Spectrum Glas 100 Rip
22 - 25	Spectrum Glas 100 CZ
26 - 27	Spectrum Glas 171 RR

The principle is simple ..
 Around the actual glass work solder a metal
 construction.
 Use a Metal pipe as a stand and you're set.

A few general notes on the materials used in the metal frame:

LIVING inEUROPE - METRIC system:

Materials should be in color glass trade actually known under the following numbers:

- 4252000 - You will need 2 meters
 1 meter brass tube with an outside diameter of 5mm and wall thickness 0.45 mm
 - 4251800 - You need 0.5 meters
 1 meter of brass pipe with outer diameter and 2mm wall thickness 0.5 mm
 - 4220000 - You will need 1 meter
 Metal strips 1mm x 3.6 - usually as "wrench" means.
 - 2431800 - You will need 2 pieces
 Brass washer diameter 20mm x hole 10mm x 2mm thick
- The copper pipe with outer diameter 12mm and thickness 1mm is available at the hardware store.

A detailed instruction you will find for free download on the " garden art " overview page. A simplified schematic diagram can be found here on the next page.

LIVING in the USA :

Materials should be found at your art glass supplier or hardware store :

- (A) - You will need 7'
 brass tube with an outside diameter of 13/64" and wall thickness 3/64"
 - (B) - You need 25"
 brass pipe with outer diameter and 5/64" wall thickness 3/64"
 - (C) - You will need 1 meter
 metal strips 1mm x 9/64" - usually as "wrench" means.
 - (D) - You will need 2 pieces
 brass washer diameter 51/64" x hole 13/32" x 5/64" thick
- The copper pipe with outer diameter 1/2" and thickness 1/8" is available at the hardware store.



You can bend the hair of twisted
 copper wire ..
 The eyes are bent out of solder and
 easily soldered at the main seam.

